



VESSEL DESCRIPTIONS

Version April 2024





Anchored by excellence
Powered by dedication

TABLE of Contents

Vessel Descriptions | Version 1.0 | April 2024

HEAVY-LIFT / MULTIPURPOSE VESSELS				6 - 65
VESSEL TYPE		DWAT	LIFTING CAPACITY	PAGE
BBC-25K-900A	CERULEAN type	25,240 mt	up to 900 mt	6
BBC-24K-200A	DENMARK type	24,964 mt	up to 200 mt	8
BBC-18K-160A	RAINBOW type	17,550 mt	up to 160 mt	10
BBC-18K-160B	RAISE type	17,808 mt	up to 160 mt	12
BBC-17K-500A	GANGES type	17,000 mt	up to 500 mt	14
BBC-17K-160A	WESER type	17,500 mt	up to 160 mt	16
BBC-14K-800A	AMBER type	14,350 mt	up to 800 mt	18
BBC-13K-500A	LEER type	13,000 mt	up to 500 mt	20
BBC-13K-160A	PERU type	13,500 mt	up to 160 mt	22
BBC-12K-500A	RUSSIA type	12,400 mt	up to 500 mt	24
BBC-12K-500B	UKRAINE type	12,400 mt	up to 500 mt	26
BBC-12K-500C	TBN type	12,400 mt	up to 500 mt	28
BBC-12K-360A	OREGON type	12,780 mt	up to 360 mt	30
BBC-12K-300A	MAINE type	12,780 mt	up to 300 mt	32
BBC-12K-240A	CAMPANA type	12,700 mt	up to 240 mt	34
BBC-12K-160A	JADE type	12,000 mt	up to 160 mt	36
BBC-11K-500A	LOUISE type	11,800 mt	up to 500 mt	38
BBC-11K-160A	CHALLENGER type	11,000 mt	up to 160 mt	40
BBC-11K-120A	HONG KONG type	11,150 mt	up to 120 mt	42
BBC-11K-80A	ACADIA type	11,353 mt	up to 80 mt	44
BBC-10K-500A	EAGLE type	10,000 mt	up to 500 mt	46
BBC-9K-700A	EVEREST type	9,282 mt	up to 700 mt	48
BBC-9K-120A	NAPLES type	9,821 mt	up to 120 mt	50
BBC-9K-120B	NAGASAKI type	9,821 mt	up to 120 mt	52
BBC-8K-500A	DESTINY type	8,000 mt	up to 500 mt	54
BBC-8K-170A	BERGEN type	8,000 mt	up to 170 mt	56
BBC-7K-500A	ASIA type	7,500 mt	up to 500 mt	58
BBC-7K-240A	KWIATKOWSKI type	7,700 mt	up to 240 mt	60
BBC-7K-160B	LIMA type	7,821 mt	up to 160 mt	62
BBC-6K-120A	PACIFIC type	6,300 mt	up to 120 mt	64
BULK VESSELS				68 - 77
VESSEL TYPE		DWAT	LIFTING CAPACITY	PAGE
Bulk Vessel	MERCURY type	39,869 mt	4 x 30 mt	68
Bulk Vessel	URANUS type	40,273 mt	4 x 30,5 mt	70
Bulk Vessel	APOLLO type	40,550 mt	4 x 30,5 mt	72
Bulk Vessel	EMMA JANNEKE type	39,700 mt	4 x 30,7 mt	74
Bulk Vessel	PLUTO type	37,300 mt	4 x 30 mt	76
VESSEL INDEX				78





Heavy-lift / Multipurpose Vessels

[Vessel Descriptions](#) | Version April 2024

BBC-25K-900A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
CERULEAN	2013	9655169	Singapore				

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	Korean Register
TONNAGE	
Deadweight (summer)	25,240 mt
GT / NT	19,454 / 8,055
DIMENSIONS	
Max. draft (summer)	10.46 m
Length o.a.	167.70 m
Length between pp.	158.23 m
Breadth moulded	26.00 m
Depth to main deck	14.30 m
Height above keel	44.90 m
SPEED	
Max. speed	13.00 knots
Intermediate speed	12.00 knots
Reduced speed 	11.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	MacGregor	(portside)	
Lifting capacity		2 x 450 mt	
CONTAINER CAPACITY			
Nominal capacity	1280 TEU		
At 14 mt homog. loaded	794 TEU		
Stackweights on deck	20' = 40.00 mt	40' = 60.00 mt	
Stackweights tanktop	20' = 90.00 mt	40' = 90.00 mt	
Reefer plugs	50		
DECK STRENGTHS			
Tanktop	20.00 mt / sqm		
Tweendeck	4.00 mt / sqm		
Hatchcovers	3.00 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	28,687 cbm	1,013,069 cbft	
Floor space under deck	3,949 sqm	42,506 sqft	
Floor space on deck	3,531 sqm	38,007 sqft	

SPECIAL EQUIPMENT / FEATURES



Australia fitted




IMO Class 1-9 fitted



Mix type hatch cover



Automatic mode



AIN DECK

Technical drawing of the AIN DECK showing crane layout and dimensions. The deck is divided into sections with various crane capacities and dimensions.

Dimensions and Crane Capacities:

- Left side (from bow):
 - 23.25m: 3.0t/m² aft deck
 - 44.09m: 3.0t/m² folding cover
- Right side (from stern):
 - 44.31m: 3.0t/m² folding cover
 - 26.06m: 3.0t/m² lift away cover
- Crane capacities (from bow to stern):
 - 40t / 6.0m - 33.00m
 - 200t / 4.5m - 30.00m
 - 450t / 6.0m - 16.00m
 - 42.84m: distance in-between cranes
 - 40t / 6.0m - 33.00m
 - 200t / 4.5m - 30.00m
 - 450t / 6.0m - 16.00m

WEENDECK

20.50m

HOLD #2 TD
AREA 1539m²

76.05m

4.0t/m² td pontoons

14.29m

9.11m

20.50m

HOLD #1 TD
AREA 480m²

9.50m ab TT

13.20m

3.65m

3.65m

9.50m ab TT

23.40m

4.0t/m² td pontoons

Diagram of the deck area showing the layout of the two tank tops. The deck is 70.85m long and 20.50m wide. The central area is labeled "HOLD #2 TANK TOP AREA 1559m²". To the right is "HOLD #1 TANK TOP AREA 351m²". Dimensions for the tank tops are: 5.20m, 1.80m ab TT, 13.20m, 19.31m, 10.79m, 76.05m, 20.0m², 23.40m, and 20.0m².

7

BBC-24K-200A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC DENMARK ⁽²⁾	2012	9605891	Antigua & Barbuda	BBC ELISABETH ⁽¹⁾	2013	9593660	Antigua & Barbuda
BBC FINLAND ⁽¹⁾	2012	9593684	Antigua & Barbuda	BBC ICELAND ⁽²⁾	2013	9605906	Antigua & Barbuda
BBC NORWAY ⁽¹⁾	2012	9593658	Antigua & Barbuda				

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	⁽¹⁾ Lloyd's Register ⁽²⁾ Bureau Veritas
TONNAGE	
Deadweight (summer)	24,964 mt
GT / NT	18,189 / 8,440
DIMENSIONS	
Max. draft (summer)	9.81 m
Length o.a.	161.33 m
Length between pp.	152.00 m
Breadth moulded	27.39 m
Depth to main deck	13.50 m
Height above keel	52.30 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	11.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR	
Crane manufacturer	TTS (portside)
Lifting capacity	2 x 100 mt + 1 x 60 mt
CONTAINER CAPACITY	
Nominal capacity	1497 TEU
Stackweights on deck ⁽¹⁾	20' = 50.00 mt 40' = 65.00 mt
Stackweights on deck (2-4)	20' = 60.00 mt 40' = 85.00 mt
Stackweights tanktop	20' = 120.00 mt 40' = 152.50 mt
Reefer plugs	86
DECK STRENGTHS	
Tanktop	23.00 mt / sqm
Tweendeck	4.00 mt / sqm
Hatchcovers	2.50 mt / sqm
HOLDS / HATCHES	
Cargo hold capacity	30,235 cbm 1,067,880 cbft
Floor space under deck	4,189 sqm 45,090 sqft
Floor space on deck	2,438 sqm 26,242 sqft

SPECIAL EQUIPMENT / FEATURES



Grain fitted



Australia fitted



IMO Class 1-9 fitted








Folding type hatch cover (hydraulic)



Automatic mode



Bow Thruster



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-18K-160A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC RAINBOW ⁽¹⁾	2010	9423516	Panama	BBC RHONETAL ⁽²⁾	2013	9614701	Antigua & Barbuda
BBC RIO ⁽²⁾	2012	9430222	Antigua & Barbuda	BBC RHEIDERLAND ⁽²⁾	2013	9614696	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	⁽¹⁾ Class NK ⁽²⁾ DNV
TONNAGE	
Deadweight (summer)	17,550 mt
GT / NT	14,941 / 6,340
DIMENSIONS	
Max. draft (summer)	8.60 m
Length o.a.	161.50 m
Length between pp.	153.50 m
Breadth moulded	25.20 m
Depth to main deck	12.40 m
Height above keel	44.20 m
SPEED	
Max. speed	16.50 knots
Intermediate speed	15.00 knots
Reduced speed 	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	MacGregor		(portside)
Lifting capacity	3 x 80 mt		
CONTAINER CAPACITY			
Nominal capacity	1047 TEU		
Stackweights on deck	20´ =	60.00 mt	40´ = 80.00 mt
Stackweights tanktop	20´ =	100.00 mt	40´ = 120.00 mt
Reefer plugs	152		
DECK STRENGTHS			
Tanktop	18.00 mt / sqm		
Tweendeck	3.50 mt / sqm		
Hatchcovers	2.50 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	25,521 cbm	901,263 cbft	
Floor space under deck	3,836 sqm	47,290 sqft	
Floor space on deck	2,008 sqm	21,614 sqft	

SPECIAL EQUIPMENT / FEATURES



Grain fitted



Australia fitted



IMO Class 1-9 fitted




Folding type hatch cover (hydraulic)



Automatic mode



Bow Thruster



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-18K-160B



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC RAISE ⁽²⁾	2011	9538880	Antigua & Barbuda	BBC REGALIA ⁽²⁾	2012	9539389	Antigua & Barbuda
BBC REEF ⁽¹⁾	2011	9539365	Panama	BASILISK ⁽²⁾	2013	9539377	Liberia

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	⁽¹⁾ Class NK ⁽²⁾ DNV

TONNAGE	
Deadweight (summer)	17,808 mt
GT / NT	14,859 / 6,310

DIMENSIONS	
Max. draft (summer)	8.60 m
Length o.a.	161.50 m
Length between pp.	153.50 m
Breadth moulded	25.20 m
Depth to main deck	12.40 m
Height above keel	44.20 m

SPEED	
Max. speed	16.50 knots
Intermediate speed	15.00 knots
Reduced speed 	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	MacGregor	(portside)
Lifting capacity	3 x 80 mt	

CONTAINER CAPACITY			
Nominal capacity	1054 TEU		
Stackweights on deck	20' = 60.00 mt	40' = 80.00 mt	
Stackweights tanktop	20' = 100.00 mt	40' = 120.00 mt	
Reefer plugs	144		

DECK STRENGTHS	
Tanktop	18.00 mt / sqm
Tweendeck	3.50 mt / sqm
Hatchcovers	2.50 mt / sqm

HOLDS / HATCHES		
Cargo hold capacity	25,521 cbm	901,263 cbft
Floor space under deck	3,836 sqm	41,290 sqft
Floor space on deck	2,008 sqm	21,614 sqft

SPECIAL EQUIPMENT / FEATURES



Grain fitted



Australia fitted



IMO Class 1-9 fitted








Folding type hatch cover (hydraulic)



Automatic mode



Bow Thruster



BBC-17K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC GANGES	2010	9508304	Antigua & Barbuda	BBC NILE	2011	9571375	Antigua & Barbuda
BBC SEINE	2010	9508380	Antigua & Barbuda	MARCELLIN A DESGAGNES	2012	9571387	Barbados
NORDIKA DESGAGNES	2010	9508316	Barbados	BBC DANUBE	2013	9571399	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	DNV
TONNAGE	
Deadweight (summer)	17,000 mt
GT / NT	12,974 / 5,334
DIMENSIONS	
Max. draft (summer)	8.30 m
Length o.a.	143.14 m
Length between pp.	133.00 m
Breadth moulded	22.80 m
Depth to main deck	13.30 m
Height above keel	41.40 m
SPEED	
Max. speed	15.50 knots
Intermediate speed	14.50 knots
Reduced speed 	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity	2 x 250 mt + 1 x 80 mt		
CONTAINER CAPACITY			
Nominal capacity	842 TEU		
At 14 mt homog. loaded	548 TEU		
Stackweights on deck	20´ =	60.00 mt	40´ = 90.00 mt
Stackweights tanktop	20´ =	125.00 mt	40´ = 175.00 mt
Reefer plugs	52		
DECK STRENGTHS			
Tanktop	20.00 mt / sqm		
Tweendeck	4.70 mt / sqm		
Hatchcovers	2.20 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	19,777 cbm	698,429 cbft	
Floor space under deck	2,986 sqm	32,141 sqft	
Floor space on deck	1,486 sqm	16,002 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/1A



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)



Automatic
mode



Bow
Thruster



BBC-17K-160A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC WESER	2006	9347047	Antigua & Barbuda	KURT PAUL	2009	9435856	Antigua & Barbuda
SJARD	2007	9303314	Antigua & Barbuda	BBC VOLGA	2009	9436329	Antigua & Barbuda
TAIGA DESGAGNES	2007	9303302	Barbados	BBC HUDSON	2009	9435868	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	DNV
TONNAGE	
Deadweight (summer)	17,500 mt
GT / NT	12,936 / 5,824
DIMENSIONS	
Max. draft (summer)	9.70 m
Length o.a.	143.14 m
Length between pp.	134.43 m
Breadth moulded	22.80 m
Depth to main deck	13.30 m
Height above keel	41.40 m
SPEED	
Max. speed	15.50 knots
Intermediate speed	14.50 knots
Reduced speed 	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer		NMF	(portside)
Lifting capacity		3 x 80 mt	
CONTAINER CAPACITY			
Nominal capacity		958 TEU	
At 14 mt homog. loaded		617 TEU	
Stackweights on deck	20´ =	60.00 mt	40´ = 90.00 mt
Stackweights tanktop	20´ =	125.00 mt	40´ = 175.00 mt
Reefer plugs		60	
DECK STRENGTHS			
Tanktop		20.00 mt / sqm	
Tweendeck hold 1		3.00 mt / sqm	
Tweendeck hold 2+3		4.70 mt / sqm	
Hatchcovers		2.20 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		21,539 cbm	760,642 cbft
Floor space under deck		3,184 sqm	34,276 sqft
Floor space on deck		1,480 sam	15.930 saft

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/1A



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)




Automatic
mode




Bow
Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-14K-800A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC TOPAZ ⁽²⁾	2010	9506734	Antigua & Barbuda	BBC CORAL ⁽¹⁾	2012	9563720	Antigua & Barbuda
BBC AMBER ⁽¹⁾	2011	9563706	Antigua & Barbuda	BBC SAPPHIRE ⁽¹⁾	2012	9504798	Antigua & Barbuda
BBC ONYX ⁽²⁾	2011	9506746	Antigua & Barbuda	BBC PEARL ⁽¹⁾	2012	9504786	Antigua & Barbuda
BBC OPAL ⁽¹⁾	2011	9506758	Antigua & Barbuda	BBC EMERALD ⁽¹⁾	2013	9504750	Antigua & Barbuda
BBC AMETHYST ⁽¹⁾	2012	9504724	Antigua & Barbuda	BBC MOONSTONE ⁽¹⁾	2013	9563732	Antigua & Barbuda
BBC AQUAMARINE ⁽¹⁾	2012	9504736	Antigua & Barbuda	BBC RUBY ⁽¹⁾	2016	9563744	Antigua & Barbuda
BBC CITRINE ⁽¹⁾	2012	9504748	Antigua & Barbuda				

MAIN DATA

TYPE		
Vessel type	Multipurpose Heavylifter	
Classification	⁽¹⁾ DNV	⁽²⁾ Class NK
TONNAGE		
Deadweight (summer)	14,350 mt	
GT / NT	12,838 / 5,968	
DIMENSIONS		
Max. draft (summer)	9.10 m	
Length o.a.	153.44 m	
Length between pp.	146.35 m	
Breadth moulded	23.20 m	
Depth to main deck	11.95 m	
Height above keel	40.85 m	
SPEED		
Max. speed	17.00 knots	
Intermediate speed	15.50 knots	
Reduced speed 	14.00 knots	

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer		NMF	(portside)
Lifting capacity		2 x 400 mt + 1 x 80 mt	
CONTAINER CAPACITY			
Nominal capacity		958 TEU	
At 14 mt homog. loaded		683 TEU	
Stackweights on deck	20´ =	60.00 mt	40´ = 100.00 mt
Stackweights tanktop	20´ =	120.00 mt	40´ = 140.00 mt
Reefer plugs		28	
DECK STRENGTHS			
Tanktop		15.00 mt / sqm	
Tweendeck hold 1		2.50 mt / sqm	
Tweendeck hold 2		5.00 mt / sqm	lower position
Tweendeck hold 2		2.50 mt / sqm	upper position
Hatchcovers		5.00 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		20,140 cbm	711,236 cbft
Floor space under deck		3,364 sqm	36,210 sqft
Floor space on deck		1,891 sqm	20,354 sqft

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/IA



Australia
fitted



IMO Class 1-9
fitted



Stability
pontoon




Pontoon type
hatch cover
(lift-off)



Automatic
mode



Bow
Thruster



19

BBC-13K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC LEER ⁽¹⁾	2024	9885283	Antigua & Barbuda	BBC BREMEN ⁽²⁾	2025	9971446	Antigua & Barbuda
BBC HOUSTON ⁽¹⁾	2024	9885295	Antigua & Barbuda	BBC SHANGHAI ⁽²⁾	2025	9934278	Antigua & Barbuda
BBC SANTIAGO ⁽¹⁾	2024	9964429	Antigua & Barbuda	BBC TBN ⁽²⁾	2025	9964455	Antigua & Barbuda
BBC SINGAPORE ⁽¹⁾	2024	9964431	Antigua & Barbuda	BBC TBN ⁽²⁾	2025	9964467	Antigua & Barbuda
BBC GENOA ⁽¹⁾	2024	9885300	Antigua & Barbuda	BBC TBN ⁽²⁾	2025	9964479	Antigua & Barbuda
BBC DUBAI ⁽¹⁾	2024	9885312	Antigua & Barbuda	BBC TBN ⁽²⁾	2026	1049613	Antigua & Barbuda
BBC TOKYO ⁽²⁾	2025	9971434	Antigua & Barbuda	BBC TBN ⁽²⁾	2026	1049625	Antigua & Barbuda
BBC SAO PAULO ⁽²⁾	2025	9934266	Antigua & Barbuda				

MAIN DATA


TYPE	
Vessel type	Multipurpose Tripledeck Heavylifter
Classification	⁽¹⁾ Bureau Veritas ⁽²⁾ Lloyd's Register
TONNAGE	
Deadweight (summer)	13,000 mt
Deadweight (open hatch)	11,100 mt
GT / NT	15,629 / 7,409
DIMENSIONS	
Max. draft (summer)	8.50 m
Max. draft (open hatch)	7.85 m
Length o.a.	149.95 m
Length between pp.	143.05 m
Breadth moulded	23.20 m
Depth to main deck	13.20 m
Height above keel	42.20 m
SPEED	
Max. speed	16.50 knots
Intermediate speed	15.60 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer		Liebherr	(portside)
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity		970 TEU	
Stackweights on deck	20´ =	70.00 mt	40´ = 100.00 mt
Stackweights on tweendeck	20´ =	40.00 mt	40´ = 60.00 mt
Stackweights tanktop	20´ =	50.00 mt	40´ = 60.00 mt
Reefer plugs		50	
DECK STRENGTHS			
Tanktop Hold 1	10.00 mt / sqm		
Tanktop Hold 2	20.00 mt / sqm		
Tanktop in special areas Hold 2	25.00 mt / sqm		
Tweendeck	4.00 mt / sqm		
Hatchcovers	4.00 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	25,795 cbm	910,941 cbft	
Floor space under deck	4,850 sqm	171,276 sqft	
Floor space on deck	2,830 sqm	99,940 sqft	

SPECIAL EQUIPMENT / FEATURES


							
Grain fitted	Great Lakes fitted	Australia fitted	IMO Class 1-9 fitted	Open hatch sailing certified	Mix type hatch cover	Automatic mode	Bow Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-13K-160A



VESSEL NAME	BUILT	IMO NO.	FLAG
BBC PERU	2012	9549592	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	Lloyd's Register
TONNAGE	
Deadweight (summer)	13,500 mt
GT / NT	9,750 / 4,550
DIMENSIONS	
Max. draft (summer)	8.25 m
Length o.a.	146.25 m
Length between pp.	136.99 m
Breadth moulded	20.10 m
Depth to main deck	11.45 m
Height above keel	39.71 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	MacGregor	(portside)	
Lifting capacity		2 x 80 mt	
CONTAINER CAPACITY			
Nominal capacity	712 TEU		
Stackweights on deck	20' = 50.00 mt	40' = 65.00 mt	
Stackweights tanktop	20' = 100.00 mt	40' = 135.00 mt	
Reefer plugs	80		
DECK STRENGTHS			
Tanktop	18.00 mt / sqm		
Tweendeck	5.00 mt / sqm		
Hatchcovers	2.40 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	17,257 cbm	609,425 cbft	
Floor space under deck	2,752 sqm	29,622 sqft	
Floor space on deck	1,540 sqm	16,576 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/1A



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)



Automatic
mode



Bow
Thruster



23

BBC-12K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
MIENA DESGAGNES	2017	9700380	Barbados	BBC ST. PETERSBURG	2020	9736200	Antigua & Barbuda
BBC RUSSIA	2018	9700392	Antigua & Barbuda	BBC ARKHANGELSK	2020	9736212	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavylifter
Classification	DNV
TONNAGE	
Deadweight (summer)	12,400 mt
GT / NT	11,503 / 4,474
DIMENSIONS	
Max. draft (summer)	8.18 m
Length o.a.	147.00 m
Length between pp.	140.00 m
Breadth moulded	22.80 m
Depth to main deck	11.55 m
Height above keel	40.78 m
SPEED	
Max. speed	16.00 knots
Intermediate speed	14.00 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer		Liebherr	(portside)
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity		842 TEU	
At 14 mt homog. loaded		541 TEU	
Stackweights on deck	20' =	50.00 mt	40' = 65.00 mt
Stackweights tanktop	20' =	90.00 mt	40' = 120.00 mt
Reefer plugs		50	
DECK STRENGTHS			
Tanktop		20.00 mt / sqm	
Tanktop in special areas		25.00 mt / sqm	
Tweendeck hold 1		4.00 mt / sqm	
Tweendeck hold 2		4.00 mt / sqm	
Hatchcovers		4.00 mt / sqm	
Pontoon hatchcovers		8.00 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		17,600 cbm	621,537 cbft
Floor space under deck		2,940 sqm	31,645 sqft
Floor space on deck		1,796 sqm	19,332 sqft

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/A1



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Mix type
hatch cover




Automatic
mode




Bow
Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-500B



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC UKRAINE ⁽¹⁾	2021	9811983	Antigua & Barbuda	BBC PHILIPPINES	2023	9963401	Antigua & Barbuda
BBC MANILA ⁽¹⁾	2022	9811995	Antigua & Barbuda	BBC ODESA	2023	9963413	Antigua & Barbuda
BBC SEBASTOPOL ⁽¹⁾	2022	9812004	Antigua & Barbuda	BBC ROSTOV	2024	9964443	Antigua & Barbuda
BBC KHERSON ⁽¹⁾	2022	9812016	Antigua & Barbuda				

MAIN DATA


TYPE	
Vessel type	Multipurpose Heavylifter
Classification	DNV ⁽¹⁾ Lloyd's Register
TONNAGE	
Deadweight (summer)	12,400 mt
Deadweight (open hatch)	9,100 mt
GT / NT	11,492 / 4,474
DIMENSIONS	
Max. draft (summer)	8.18 m
Max. draft (open hatch)	7.00 m
Length o.a.	147.00 m
Length between pp.	140.00 m
Breadth moulded	22.80 m
Depth to main deck	11.55 m
Height above keel	40.78 m
SPEED	
Max. speed	16.00 knots
Intermediate speed	14.00 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer		Liebherr	(portside)
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity		842 TEU	
At 14 mt homog. loaded		541 TEU	
Stackweights on deck	20' =	70.00 mt	40' = 100.00 mt
Stackweights tanktop	20' =	50.00 mt	40' = 60.00 mt
Reefer plugs		50	
DECK STRENGTHS			
Tanktop		20.00 mt / sqm	
Tanktop in special areas		25.00 mt / sqm	
Tweendeck hold 1		2.50 mt / sqm	
Tweendeck hold 2		4.00 mt / sqm	
Hatchcovers		4.00 mt / sqm	
Pontoon hatchcovers		8.00 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		17,600 cbm	621,537 cbft
Floor space under deck		2,940 sqm	31,645 sqft
Floor space on deck		2,180 sqm	23,465 sqft

SPECIAL EQUIPMENT / FEATURES

							
Grain fitted	Great Lakes fitted	Australia fitted	IMO Class 1-9 fitted	Open hatch sailing certified	Mix type hatch cover	Automatic mode	Bow Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-500C



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC TBN	2025	1056276	Antigua & Barbuda	BBC TBN	2025	1056290	Antigua & Barbuda
BBC TBN	2025	1056288	Antigua & Barbuda	BBC TBN	2025	1056264	Antigua & Barbuda

MAIN DATA


TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	DNV
TONNAGE	
Deadweight (summer)	12,400 mt
Deadweight (open hatch)	9,100 mt
GT / NT	11,492 / 4,474
DIMENSIONS	
Max. draft (summer)	8.18 m
Max. draft (open hatch)	7.00 m
Length o.a.	147.00 m
Length between pp.	140.00 m
Breadth moulded	22.80 m
Depth to main deck	11.55 m
Height above keel	40.78 m
SPEED	
Max. speed	16.00 knots
Intermediate speed	14.00 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer		Liebherr	(portside)
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity		842 TEU	
At 14 mt homog. loaded		541 TEU	
Stackweights on deck	20' =	70.00 mt	40' = 100.00 mt
Stackweights tanktop	20' =	50.00 mt	40' = 60.00 mt
Reefer plugs		50	
DECK STRENGTHS			
Tanktop		20.00 mt / sqm	
Tanktop in special areas		25.00 mt / sqm	
Tweendeck hold 1		2.50 mt / sqm	
Tweendeck hold 2		4.00 mt / sqm	
Hatchcovers		4.00 mt / sqm	
Pontoon hatchcovers		8.00 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		17,600 cbm	621,537 cbft
Floor space under deck		2,940 sqm	31,645 sqft
Floor space on deck		2,180 sqm	23,465 sqft

SPECIAL EQUIPMENT / FEATURES


 Ice Class E3/A1	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Open hatch sailing certified	 Mix type hatch cover	 Automatic mode	 Bow Thruster
---	---	---	---	---	---	---	---	---




SIDE VIEW



MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM

Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-360A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
SEDNA DESGAGNES ⁽³⁾	2009	9402093	Barbados	BBC OREGON ⁽¹⁾	2010	9501265	Antigua & Barbuda
ZELADA DESGAGNES ⁽³⁾	2009	9402081	Barbados	BBC UTAH ⁽²⁾	2011	9468114	Liberia
BBC ALBERTA ⁽¹⁾	2010	9468102	Liberia	BBC VIRGINIA ⁽¹⁾	2011	9501277	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavylifter
Classification	⁽¹⁾ Korean Register ⁽²⁾ Class NK ⁽³⁾ DNV
TONNAGE	
Deadweight (summer)	12,780 mt
GT / NT	9,620 / 4,260
DIMENSIONS	
Max. draft (summer)	8.00 m
Length o.a.	138.50 m
Length between pp.	130.71 m
Breadth moulded	21.00 m
Depth to main deck	11.00 m
Height above keel	40.09 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity		2 x 180 mt	
CONTAINER CAPACITY			
Nominal capacity	665 TEU		
At 14 mt homog. loaded	528 TEU		
Stackweights on deck	20´ = 50.00 mt	40´ =	65.00 mt
Stackweights tanktop	20´ = 90.00 mt	40´ =	120.00 mt
Reefer plugs	50		
DECK STRENGTHS			
Tanktop	16.00 mt / sqm		
Tweendeck hold 1	2.50 mt / sqm		
Tweendeck hold 2+3	4.00 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	15,952 cbm	563,340	cbft
Floor space under deck	2,810 sqm	30,247	sqft
Floor space on deck	1,480 sqm	15,931	sqft

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/IA



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)




Automatic
mode




Bow
Thruster




SIDE VIEW




MAIN DECK



TWEEDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-300A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
ARALIA ⁽¹⁾	2007	9357212	Liberia	BBC VERMONT ⁽²⁾	2008	9357236	Antigua & Barbuda
BBC MAINE ⁽²⁾	2007	9357200	Antigua & Barbuda	JANNES ⁽¹⁾	2009	9435129	Antigua & Barbuda
BBC TEXAS ⁽³⁾	2007	9388883	Antigua & Barbuda	PACIFICA ⁽³⁾	2009	9431460	Singapore
PIA ⁽¹⁾	2007	9384318	Antigua & Barbuda	POTENTIA ⁽³⁾	2009	9431472	Singapore
FRIEDA ⁽¹⁾	2008	9435117	Antigua & Barbuda	BBC ALASKA ⁽¹⁾	2010	9453793	Liberia
BBC DAKOTA ⁽³⁾	2008	9388900	Liberia	BBC MARYLAND ⁽²⁾	2010	9433298	Antigua & Barbuda
ERIK ⁽¹⁾	2008	9435105	Antigua & Barbuda	BBC MICHIGAN ⁽²⁾	2010	9501241	Antigua & Barbuda
BBC GEORGIA ⁽²⁾	2008	9357224	Antigua & Barbuda	PELAGICA ⁽³⁾	2010	9453781	Singapore
CLAUDE A. DESGAGNES ⁽¹⁾	2011	9488059	Barbados				

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	⁽¹⁾ DNV ⁽²⁾ Class NK ⁽³⁾ Korean Register
TONNAGE	
Deadweight (summer)	12,780 mt
GT / NT	9,620 / 4,260
DIMENSIONS	
Max. draft (summer)	8.00 m
Length o.a.	138.50 m
Length between pp.	130.50 m
Breadth moulded	21.00 m
Depth to main deck	11.00 m
Height above keel	40.90 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity		2 x 150 mt	
CONTAINER CAPACITY			
Nominal capacity	665 TEU		
At 14 mt homog. loaded	528 TEU		
Stackweights on deck	20' = 50.00 mt	40' = 65.00 mt	
Stackweights tanktop	20' = 90.00 mt	40' = 120.00 mt	
Reefer plugs	50		
DECK STRENGTHS			
Tanktop	16.00 mt / sqm		
Tweendeck hold 1	2.50 mt / sqm		
Tweendeck hold 2+3	4.00 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	15,952 cbm	563,340 cbft	
Floor space under deck	2,810 sqm	30,247 sqft	
Floor space on deck	1,480 sqm	15,931 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/IA



Grain fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)




Automatic
mode




Bow
Thruster




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-240A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC CAMPANA ⁽²⁾	2004	9291963	Antigua & Barbuda	BBC PLATA ⁽²⁾	2005	9291975	Antigua & Barbuda
BBC MINNESOTA ⁽¹⁾	2004	9260378	Panama	BBC ZARATE ⁽²⁾	2007	9337236	Antigua & Barbuda
BBC WASHINGTON ⁽¹⁾	2004	9283954	Portugal (Mar)	BBC ROSARIO ⁽³⁾	2007	9337224	Liberia
BBC WISCONSIN ⁽³⁾	2004	9283966	Antigua & Barbuda	ROSAIRE A. DESGAGNES ⁽¹⁾	2007	9363534	Barbados

MAIN DATA



TYPE	
Vessel type	Multipurpose Heavylifter
Classification	⁽¹⁾ DNV ⁽²⁾ Class NK ⁽³⁾ Korean Register
TONNAGE	
Deadweight (summer)	12,700 mt
GT / NT	9,608 / 4,272
DIMENSIONS	
Max. draft (summer)	8.00 m
Length o.a.	138.07 m
Length between pp.	130.71 m
Breadth moulded	21.00 m
Depth to main deck	11.00 m
Height above keel	40.90 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer		NMF	(portside)
Lifting capacity		2 x 120 mt	
CONTAINER CAPACITY			
Nominal capacity		665 TEU	
At 14 mt homog. loaded		528 TEU	
Stackweights on deck	20´ =	50.00 mt	40´ = 65.00 mt
Stackweights tanktop	20´ =	90.00 mt	40´ = 120.00 mt
Reefer plugs		50	
DECK STRENGTHS			
Tanktop		16.00 mt / sqm	
Tweendeck hold 1		2.50 mt / sqm	
Tweendeck hold 2+3		4.00 mt / sqm	
Hatchcovers		1.75 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		15,952 cbm	563,340 cbft
Floor space under deck		2,810 sqm	30,247 sqft
Floor space on deck		1,480 sqm	15,931 sqft

SPECIAL EQUIPMENT / FEATURES


 Ice Class E3/IA	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Folding type hatch cover (hydraulic)	 Automatic mode	 Bow Thruster
---	---	---	---	---	---	---	---




MAIN DECK



TWEEDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-12K-160A



VESSEL NAME	BUILT	IMO NO.	FLAG
BBC JADE	2007	9421116	Antigua & Barbuda

MAIN DATA


TYPE	
Vessel type	Multipurpose Tweendecker
Classification	Lloyd's Register
TONNAGE	
Deadweight (summer)	12,000 mt
GT / NT	8,999 / 4,600
DIMENSIONS	
Max. draft (summer)	7.90 m
Length o.a.	142.95 m
Length between pp.	134.96 m
Breadth moulded	18.90 m
Depth to main deck	10.95 m
Height above keel	37.88 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer		Liebherr	(starboard side)
Lifting capacity		2 x 80 mt	
CONTAINER CAPACITY			
Nominal capacity		684 TEU	
At 14 mt homog. loaded		455 TEU	
Stackweights on deck	20´ =	50.00 mt	40´ = 65.00 mt
Stackweights tanktop	20´ =	100.00 mt	40´ = 135.00 mt
Reefer plugs		80	
DECK STRENGTHS			
Tanktop		18.00 mt / sqm	
Tweendeck		4.00 mt / sqm	
Hatchcovers		2.00 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		17,257 cbm	609,424 cbft
Floor space under deck		2,844 sqm	30,612 sqft
Floor space on deck		1,459 sqm	15,704 sqft


SPECIAL EQUIPMENT / FEATURES

 Ice Class E3/A1	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Folding type hatch cover (hydraulic)	 Bow Thruster
--	--	--	--	--	---	--




HOLD 1/2


SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-11K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG
BBC LOUISE	2018	9685097	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	DNV
TONNAGE	
Deadweight (summer)	11,800 mt
GT / NT	9,670 / 4,110
DIMENSIONS	
Max. draft (summer)	8.05 m
Length o.a.	138.00 m
Length between pp.	131.00 m
Breadth moulded	21.40 m
Depth to main deck	11.00 m
Height above keel	42.20 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	14.00 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	MacGregor	(portside)	
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity	800 TEU		
At 14 mt homog. loaded	500 TEU		
Stackweights on deck	20' = 50.00 mt	40' = 65.00 mt	
Stackweights tanktop	20' = 90.00 mt	40' = 120.00 mt	
Reefer plugs	50		
DECK STRENGTHS			
Tanktop	16.00 mt / sqm		
Tweendeck	4.00 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	15,200 cbm	536,782 cbft	
Floor space under deck	2,718 sqm	29,256 sqft	
Floor space on deck	1,519 sqm	16,350 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/A1



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted




Folding type
hatch cover
(hydraulic)




Automatic
mode




Bow
Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-11K-160A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC CHALLENGER ⁽¹⁾	2008	9369095	Antigua & Barbuda	BBC EMSLAND ⁽²⁾	2010	9511648	Antigua & Barbuda

MAIN DATA


TYPE		
Vessel type	Multipurpose Tweendecker	
Classification	⁽¹⁾ Lloyd's Register ⁽²⁾ Bureau Veritas	
TONNAGE		
Deadweight (summer)	⁽¹⁾ 11,121 mt	⁽²⁾ 11,000 mt
GT / NT	7,878 / 3,909	
DIMENSIONS		
Max. draft (summer)	7.40 m	
Length o.a.	145.63 m	
Length between pp.	139.33 m	
Breadth moulded	18.25 m	
Depth to main deck	10.30 m	
Height above keel	36.40 m	
SPEED		
Max. speed	14.00 knots	
Intermediate speed	13.00 knots	
Reduced speed 	12.00 knots	

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer	Liebherr	(starboard side)	
Lifting capacity	2 x 80 mt		
CONTAINER CAPACITY			
Nominal capacity	671 TEU		
At 14 mt homog. loaded	457 TEU		
Stackweights on deck	20' = 28.00 mt	40' = 48.00 mt	
Stackweights tanktop	20' = 100.00 mt	40' = 140.00 mt	
Reefer plugs	60		
DECK STRENGTHS			
Tanktop	18.00 mt / sqm		
Tweendeck	3.50 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	14,695 cbm	518,949 cbft	
Floor space under deck	2,641 sqm	28,427 sqft	
Floor space on deck	1,379 sqm	14,843 sqft	

SPECIAL EQUIPMENT / FEATURES


 Ice Class E3/A1	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Pontoon type hatch cover (gantry crane)	 Bow Thruster
---	---	---	---	---	--	---




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-11K-120A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC HONG KONG	2008	9372925	Antigua & Barbuda	BBC SINGAPORE ⁽¹⁾	2008	9351373	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker Multipurpose Singledecker ⁽¹⁾
Classification	DNV
TONNAGE	
Deadweight (summer)	11,150 mt
GT / NT	8,472 / 4,223
DIMENSIONS	
Max. draft (summer)	8.72 m
Length o.a.	129.50 m
Length between pp.	120.60 m
Breadth moulded	19.00 m
Depth to main deck	11.68 m
Height above keel	38.20 m
SPEED	
Max. speed	13.50 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	Liebherr	(portside)	
Lifting capacity		2 x 60 mt	
CONTAINER CAPACITY			
Nominal capacity	672 TEU		
At 14 mt homog. loaded	367 TEU		
Stackweights on deck	20' = 51.00 mt	40' = 65.00 mt	
Stackweights tanktop	20' = 60.00 mt	40' = 120.00 mt	
Reefer plugs	30		
DECK STRENGTHS			
Tanktop	18.00 mt / sqm		
Tweendeck	4.00 mt / sqm		
Hatchcovers	2.00 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	14,238 cbm	502,810 cbft	
Floor space under deck	1,123 sqm	12,088 sqft	
Floor space on deck	1,136 sqm	12,227 sqft	

SPECIAL EQUIPMENT / FEATURES



Grain fitted



Australia fitted




IMO Class 1-9 fitted



Pontoon type hatch cover (lift-off)



Bow Thruster



BBC-11K-80A



VESSEL NAME	BUILT	IMO NO.	FLAG
ACADIA DESGAGNES	2013	9651541	Barbados

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	Lloyd's Register
TONNAGE	
Deadweight (summer)	11,353 mt
GT / NT	7,875 / 4,043
DIMENSIONS	
Max. draft (summer)	8.46 m
Length o.a.	119.80 m
Length between pp.	115.00 m
Breadth moulded	18.20 m
Depth to main deck	10.60 m
Height above keel	33.92 m
SPEED	
Max. speed	12.00 knots
Intermediate speed	11.00 knots
Reduced speed 	10.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	MacGregor	(portside)	
Lifting capacity	2 x 40 mt		
CONTAINER CAPACITY			
Nominal capacity	164 TEU		
At 14 mt homog. loaded	164 TEU		
Stackweights on deck	20' =	50.00 mt	40' = 60.00 mt
DECK STRENGTHS			
Tanktop	14.00 mt / sqm		
Tweendeck	2.50 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	14,267 cbm	503,833 cbft	
Floor space under deck	2,149 sqm	23,131 sqft	
Floor space on deck	1,248 sqm	13,433 sqft	

SPECIAL EQUIPMENT / FEATURES



Grain fitted



Great Lakes fitted



IMO Class 1-9 fitted




Folding type hatch cover (hydraulic)




Bow Thruster

BBC-11K-80A




Hold 2/3


SIDE VIEW




MAIN DECK



TWEEDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-10K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC EAGLE	2008	9407574	Antigua & Barbuda	BBC EDGE	2009	9407598	Antigua & Barbuda
BBC KIMBERLEY	2009	9407586	Antigua & Barbuda	BBC ECHO	2010	9407603	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavylifter
Classification	Class NK

TONNAGE	
Deadweight (summer)	10,000 mt
GT / NT	8,750 / 3,859

DIMENSIONS	
Max. draft (summer)	7.70 m
Length o.a.	139.00 m
Length between pp.	131.20 m
Breadth moulded	20.00 m
Depth to main deck	11.30 m
Height above keel	34.85 m

SPEED	
Max. speed	16.00 knots
Intermediate speed	14.50 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	TTS	(portside)
Lifting capacity	2 x 250 mt	

CONTAINER CAPACITY		
Nominal capacity	628 TEU	
Stackweights on deck	20' = 50.00 mt	40' = 80.00 mt

DECK STRENGTHS	
Tanktop	15.00 mt / sqm
Tweendeck	3.50 mt / sqm
Hatchcovers	3.00 mt / sqm

HOLDS / HATCHES		
Cargo hold capacity	15,193 cbm	536,529 cbft
Floor space under deck	2,654 sqm	28,567 sqft
Floor space on deck	1,349 sqm	14,524 sqft

SPECIAL EQUIPMENT / FEATURES



Great Lakes fitted



Australia fitted




IMO Class 1-9 fitted




Pontoon type hatch cover (lift-off)




Bow Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-9K-700A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC EVEREST	2011	9508407	Antigua & Barbuda	BBC OLYMPUS	2012	9508457	Antigua & Barbuda
BBC FUJI	2011	9508419	Antigua & Barbuda	BBC RUSHMORE	2012	9508469	Antigua & Barbuda
BBC KIBO	2011	9508421	Antigua & Barbuda	BBC VESUVIUS	2012	9508471	Antigua & Barbuda
BBC MONT BLANC	2011	9508433	Antigua & Barbuda	BBC XINGANG	2013	9508483	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	DNV
TONNAGE	
Deadweight (summer)	9,282 mt
GT / NT	8,255 / 3,966
DIMENSIONS	
Max. draft (summer)	7.60 m
Length o.a.	125.80 m
Length between pp.	119.66 m
Breadth moulded	22.00 m
Depth to main deck	10.80 m
Height above keel	38.15 m
SPEED	
Max. speed	16.50 knots
Intermediate speed	14.50 knots
Reduced speed 	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity	2 x 350 mt		
CONTAINER CAPACITY			
Nominal capacity	660 TEU		
At 14 mt homog. loaded	377 TEU		
Stackweights on deck	20´ = 50.00 mt	40´ = 70.00 mt	
Stackweights tanktop	20´ = 100.00 mt	40´ = 120.00 mt	
Reefer plugs	60		
DECK STRENGTHS			
Tanktop	16.00 mt / sqm		
Tweendeck hold 1	2.50 mt / sqm		
Tweendeck hold 2	3.00 mt / sqm		
Hatchcovers	2.50 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	13,119 cbm	463,293 cbft	
Floor space under deck	2,286 sqm	24,606 sqft	
Floor space on deck	1,245 sqm	13,401 sqft	

SPECIAL EQUIPMENT / FEATURES



Great Lakes fitted



Australia fitted



IMO Class 1-9 fitted



Stability pontoon




Mix type hatch cover



Automatic mode



Bow Thruster



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-9K-120A



VESSEL NAME	BUILT	IMO NO.	FLAG
BBC NAPLES	2010	9484223	Antigua & Barbuda

MAIN DATA


TYPE	
Vessel type	Multipurpose Tweendecker
Classification	Korean Register
TONNAGE	
Deadweight (summer)	9,821 mt
GT / NT	6,351 / 3,617
DIMENSIONS	
Max. draft (summer)	7.73 m
Length o.a.	132.15 m
Length between pp.	124.56 m
Breadth moulded	15.87 m
Depth to main deck	9.65 m
Height above keel	37.50 m
SPEED	
Max. speed	13.50 knots
Intermediate speed	12.00 knots
Reduced speed 	11.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer		Liebherr	(portside)
Lifting capacity		2 x 60 mt	
CONTAINER CAPACITY			
Nominal capacity		474 TEU	
At 14 mt homog. loaded		333 TEU	
Stackweights on deck	20' =	25.00 mt	40' = 40.00 mt
Stackweights tanktop	20' =	90.00 mt	40' = 100.00 mt
Reefer plugs		20	
DECK STRENGTHS			
Tanktop		15.00 mt / sqm	
Tweendeck		3.50 mt / sqm	
Hatchcovers		1.75 mt / sqm	
HOLDS / HATCHES			
Cargo hold capacity		12,822 cbm	451,898 cbft
Floor space under deck		2,320 sqm	24,972 sqft
Floor space on deck		1,248 sqm	13,433 sqft

SPECIAL EQUIPMENT / FEATURES

 Ice Class E3/A1	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Pontoon type hatch cover (gantry crane)	 Bow Thruster
---	---	---	---	---	--	---




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-9K-120B



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC NAGASAKI ⁽²⁾	2011	9559872	Antigua & Barbuda	BBC NYHAVN ⁽¹⁾	2012	9559896	Antigua & Barbuda
BBC NORFOLK ⁽¹⁾	2012	9559884	Antigua & Barbuda				

MAIN DATA


TYPE	
Vessel type	Multipurpose Tweendecker
Classification	⁽¹⁾ Bureau Veritas ⁽²⁾ Korean Regis-
TONNAGE	
Deadweight (summer)	9,821 mt
GT / NT	6,351 / 3,617
DIMENSIONS	
Max. draft (summer)	7.73 m
Length o.a.	132.15 m
Length between pp.	124.56 m
Breadth moulded	15.87 m
Depth to main deck	9.65 m
Height above keel	37.50 m
SPEED	
Max. speed	13.50 knots
Intermediate speed	12.50 knots
Reduced speed 	11.50 knots

HOLDS / HATCHES / CRANES


CARGO GEAR		
Crane manufacturer	Liebherr	(portside)
Lifting capacity		2 x 60 mt
CONTAINER CAPACITY		
Nominal capacity	474 TEU	
At 14 mt homog. loaded	333 TEU	
Stackweights on deck	20' = 25.00 mt	40' = 40.00 mt
Stackweights tanktop	20' = 90.00 mt	40' = 100.00 mt
Reefer plugs	20	
DECK STRENGTHS		
Tanktop	15.00 mt / sqm	
Tweendeck	3.50 mt / sqm	
Hatchcovers	1.75 mt / sqm	
HOLDS / HATCHES		
Cargo hold capacity	12,822 cbm	451,898 cbft
Floor space under deck	2,320 sqm	24,972 sqft
Floor space on deck	1,248 sqm	13,433 sqft

SPECIAL EQUIPMENT / FEATURES


 Ice Class E3/A1	 Grain fitted	 Great Lakes fitted	 Australia fitted	 IMO Class 1-9 fitted	 Pontoon type hatch cover (gantry crane)	 Bow Thruster
--	--	--	--	--	--	--




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-8K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC DESTINY	2006	9347839	Antigua & Barbuda	BBC DOLPHIN	2007	9360192	Antigua & Barbuda
BBC DIAMOND	2006	9347827	Antigua & Barbuda	BBC ORION	2007	9347841	Antigua & Barbuda
BBC DIRECTION	2007	9347853	Antigua & Barbuda	BBC DART	2008	9360207	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	Class NK
TONNAGE	
Deadweight (summer)	8,000 mt
GT / NT	7,223 / 2,918
DIMENSIONS	
Max. draft (summer)	7.70 m
Length o.a.	119.80 m
Length between pp.	112.00 m
Breadth moulded	20.00 m
Depth to main deck	11.30 m
Height above keel	34.85 m
SPEED	
Max. speed	15.00 knots
Intermediate speed	14.00 knots
Reduced speed 	13.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	TTS		(portside)
Lifting capacity			2x250 mt
CONTAINER CAPACITY			
Nominal capacity	506 TEU		
At 14 mt homog. loaded	350 TEU		
Stackweights on deck	20' = 50.00 mt	40' =	60.00 mt
Stackweights tanktop	20' = 72.00 mt	40' =	96.00 mt
Reefer plugs	80		
DECK STRENGTHS			
Tanktop	15.00 mt / sqm		
Tweendeck	3.50 mt / sqm		
Hatchcovers	2.50 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	11,326 cbm	399,973	cbft
Floor space under deck	1,988 sqm	21,398	sqft
Floor space on deck	1,082 sqm	11,646	sqft

SPECIAL EQUIPMENT / FEATURES



Great Lakes fitted



Australia fitted




IMO Class 1-9 fitted



Pontoon type hatch cover (lift-off)



Bow Thruster



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-8K-170A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC BERGEN	2011	9437153	Portugal	BBC BRISBANE	2012	9578763	Antigua & Barbuda
BBC BANGKOK	2011	9437165	Antigua & Barbuda	BBC BAHRAIN	2012	9578751	Antigua & Barbuda
BBC BELEM	2012	9501655	Antigua & Barbuda	BBC BALBOA	2012	9501667	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	DNV
TONNAGE	
Deadweight (summer)	8,000 mt
GT / NT	6,310 / 2,841
DIMENSIONS	
Max. draft (summer)	7.00 m
Length o.a.	128.45 m
Length between pp.	123.02 m
Breadth moulded	16.50 m
Depth to main deck	10.00 m
Height above keel	35.60 m
SPEED	
Max. speed	13.00 knots
Intermediate speed	12.00 knots
Reduced speed 	11.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity		2 x 85 mt	
CONTAINER CAPACITY			
Nominal capacity	455 TEU		
At 14 mt homog. loaded	355 TEU		
Stackweights on deck	20' = 35.00 mt	40' = 54.00 mt	
Stackweights tanktop	20' = 98.00 mt	40' = 120.00 mt	
DECK STRENGTHS			
Tanktop	20.00 mt / sqm		
Tweendeck	3.50 mt / sqm		
Hatchcovers	2.00 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	11,500 cbm	406,365 cbft	
Floor space under deck	2,249 sqm	24,211 sqft	
Floor space on deck	1,174 sqm	12,642 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/A1



Grain
fitted



Great Lakes
fitted



Australia
fitted




IMO Class 1-9
fitted



Pontoon type
hatch cover
(gantry crane)



Bow
Thruster



57

BBC-7K-500A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC ASIA ⁽¹⁾	2003	9266310	Antigua & Barbuda	BBC GREENLAND ⁽¹⁾	2007	9427079	Antigua & Barbuda
BBC AFRICA ⁽¹⁾	2006	9362621	Antigua & Barbuda	BBC SWITZERLAND ⁽¹⁾	2008	9433315	Antigua & Barbuda
BBC SCANDINAVIA ⁽¹⁾	2007	9362633	Antigua & Barbuda	BBC AUSTRIA ⁽²⁾	2009	9433327	Antigua & Barbuda

MAIN DATA


TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	⁽¹⁾ DNV ⁽²⁾ Bureau Veritas
TONNAGE	
Deadweight (summer)	7,500 mt
GT / NT	7,014 / 3,375
DIMENSIONS	
Max. draft (summer)	7.60 m
Length o.a.	119.80 m
Length between pp.	113.75 m
Breadth moulded	20.20 m
Depth to main deck	9.70 m
Height above keel	38.15 m
SPEED	
Max. speed	15.50 knots
Intermediate speed	14.50 knots
Reduced speed	13.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF	(portside)	
Lifting capacity		2 x 250 mt	
CONTAINER CAPACITY			
Nominal capacity	599 TEU		
At 14 mt homog. loaded	377 TEU		
Stackweights on deck	20' = 60.00 mt	40' = 80.00 mt	
Stackweights tanktop	20' = 100.00 mt	40' = 120.00 mt	
Reefer plugs	60		
DECK STRENGTHS			
Tanktop	16.00 mt / sqm		
Tweendeck hold 1	2.50 mt / sqm		
Tweendeck hold 2	3.00 mt / sqm		
Hatchcovers	2.50 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	11,021 cbm	389,040 cbft	
Floor space under deck	1,986 sqm	21,377 sqft	
Floor space on deck	1,083 sqm	11,657 sqft	

SPECIAL EQUIPMENT / FEATURES

Great Lakes fitted	Australia fitted	IMO Class 1-9 fitted	IMO 7 / INF2 fitted	Stability pontoon	Mix type hatch cover	Automatic mode	Bow Thruster



MAIN DECK

Diagram illustrating the Main Deck layout, showing crane positions and dimensions. The deck is divided into sections with various crane capacities and dimensions.

Crane Positions and Dimensions:

- Left Side (from bow to stern):**
 - NMF 35t / 4,50 - 31,5m
 - NMF 100t / 2,5 - 26,0m
 - NMF 150t / 4,50 - 20,0m
 - NMF 200t / 4,50 - 15,0m
 - NMF 250t / 4,50 - 12,0m
- Right Side (from bow to stern):**
 - NMF 35t / 4,50 - 34,5m
 - NMF 100t / 2,5 - 26,0m
 - NMF 150t / 4,50 - 20,0m
 - NMF 200t / 4,50 - 15,0m
 - NMF 250t / 4,50 - 12,0m

Dimensions:

- Distance in-between cranes:** 25,4m
- Deck Width (Left Side):** 16,1m
- Deck Width (Middle):** 16,6m
- Deck Width (Right Side):** 15,5m
- Deck Width (Far Right):** 10,3m
- Deck Length (Left Side):** 9,2m
- Deck Length (Middle):** 52,4m
- Deck Length (Right Side):** 19,2m

Labels:

- 2,5t/m² folding covers** (indicated by red dashed lines)
- 2,5t/m² lift-away covers** (indicated by red dashed lines)

TWEENDECK

Deck plan showing dimensions and areas:

- Overall length: 52.0m
- Overall width: 16.1m
- Hold #2 TD AREA: 837m²
- Hold #1 TD AREA: 159m²
- Dimensions for Hold #1 TD AREA: 12.6m, 6.2m, 15.2m, 5.0m, 9.9m
- Dimensions for pontoon areas: 18.9m, 31m² td pontoons, 2.51m² td pontoons

HOLD #2 TANK TOP
AREA 837m²

HOLD #1 TANK TOP
AREA 126m²

16.1m

52.0m

18.9m

6.5m

12.3m

9.9m

2.5m

5.0m

16t/m²

16t/m²

59

BBC-7K-240A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC KWIATKOWSKI	2008	9436953	Antigua & Barbuda	BBC GDANSK	2009	9436965	Antigua & Barbuda

MAIN DATA

TYPE	
Vessel type	Multipurpose Heavyliifter
Classification	DNV
TONNAGE	
Deadweight (summer)	7,700 mt
GT / NT	6,155 / 2,759
DIMENSIONS	
Max. draft (summer)	7.15 m
Length o.a.	122.45 m
Length between pp.	115.63 m
Breadth moulded	18.20 m
Depth to main deck	9.70 m
Height above keel	41.00 m
SPEED	
Max. speed	14.00 knots
Intermediate speed	13.00 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR			
Crane manufacturer	NMF		(portside)
Lifting capacity	2 x 120 mt		
CONTAINER CAPACITY			
Nominal capacity	532 TEU		
At 14 mt homog. loaded	262 TEU		
Stackweights on deck	20´ =	40.00 mt	40´ = 50.00 mt
Stackweights tanktop	20´ =	61.00 mt	40´ = 60.00 mt
Reefer plugs	32		
DECK STRENGTHS			
Tanktop	18.00 mt / sqm		
Tweendeck	2.50 mt / sqm		
Hatchcovers	2.80 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	9,058 cbm	348,268 cbft	
Floor space under deck	1,854 sqm	19,956 sqft	
Floor space on deck	1,003 sqm	10,796 sqft	

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/A1



Grain
fitted



Great Lakes
fitted



Australia
fitted



IMO Class 1-9
fitted








Mix type
hatch cover



Automatic
mode



Bow
Thruster



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

BBC-7K-160B



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC LIMA	2010	9513622	Portugal	BBC LONDON	2011	9513658	Antigua & Barbuda
BBC LISBON	2011	9513634	Antigua & Barbuda				

MAIN DATA

TYPE	
Vessel type	Multipurpose Tweendecker
Classification	DNV

TONNAGE	
Deadweight (summer)	7,821 mt
GT / NT	7,138 / 2,266

DIMENSIONS	
Max. draft (summer)	7.00 m
Length o.a.	130.20 m
Length between pp.	122.00 m
Breadth moulded	16.50 m
Depth to main deck	11.50 m
Height above keel	37.50 m

SPEED	
Max. speed	12.50 knots
Intermediate speed	11.50 knots
Reduced speed 	10.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	NMF	(portside)
Lifting capacity	2 x 80 mt	

CONTAINER CAPACITY			
Nominal capacity	444 TEU		
At 14 mt homog. loaded	320 TEU		
Stackweights on deck	20' =	40.00 mt	40' = 55.00 mt
Stackweights tanktop	20' =	67.00 mt	40' = 67.00 mt
Reefer plugs	30		

DECK STRENGTHS	
Tanktop	15.00 mt / sqm
Tweendeck	3.00 mt / sqm
Hatchcovers	1.75 mt / sqm

HOLDS / HATCHES		
Cargo hold capacity	12,818 cbm	430,167 cbft
Floor space under deck	2,179 sqm	23,463 sqft
Floor space on deck	1,133 sqm	12,197 sqft

SPECIAL EQUIPMENT / FEATURES



Ice Class
E3/A1



Grain
fitted



Great Lakes
fitted



Australia
fitted




IMO Class 1-9
fitted




Mix type
hatch cover




Bow
Thruster




SIDE VIEW




MAIN DECK



TWEENDECK



HOLDS & DOUBLE BOTTOM



BBC-6K-120A



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC PACIFIC ⁽¹⁾	2007	9427081	Antigua & Barbuda	BBC MARMARA ⁽¹⁾	2010	9454228	Portugal
BBC AUSTRALIA ⁽²⁾	2010	9569528	Antigua & Barbuda	BBC OCEAN ⁽²⁾	2011	9569530	Antigua & Barbuda



MAIN DATA


TYPE		
Vessel type	Multipurpose Tweendecker	
Classification	DNV	
TONNAGE		
Deadweight (summer)	6,300 mt	
GT / NT	5,232 / 2,382	
DIMENSIONS		
Max. draft (summer)	5.70 m	
Length o.a.	115.50 m	
Length between pp.	111.63 m	
Breadth moulded	16.50 m	
Depth to main deck	7.95 m	
Height above keel	29.40 m	
SPEED		
Max. speed	⁽¹⁾ 13.00 knots	⁽²⁾ 12.00 knots
Intermediate speed	⁽¹⁾ 11.50 knots	⁽²⁾ 11.00 knots
Reduced speed 	⁽¹⁾ 10.50 knots	⁽²⁾ 10.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR			
Crane manufacturer	NMF		(portside)
Lifting capacity	2 x 60 mt		
CONTAINER CAPACITY			
Nominal capacity	336 TEU		
At 14 mt homog. loaded	330 TEU		
Stackweights on deck	20´ =	35.00 mt	40´ = 45.00 mt
Stackweights tanktop	20´ =	75.00 mt	40´ = 100.00 mt
DECK STRENGTHS			
Tanktop	15.00 mt / sqm		
Tweendeck hold 1	2.20 mt / sqm		
Tweendeck hold 2	2.50 mt / sqm		
Hatchcovers	1.75 mt / sqm		
HOLDS / HATCHES			
Cargo hold capacity	9,329 cbm	329,450 cbft	
Floor space under deck	2,093 sqm	22,529 sqft	
Floor space on deck	1,046 sqm	11,259 sqft	

SPECIAL EQUIPMENT / FEATURES







SIDE VIEW




MAIN DECK



TWENDECK



HOLDS & DOUBLE BOTTOM







Bulk Vessels

[Vessel Descriptions](#) | Version April 2024

Bulk Vessel



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC MERCURY	2023	9965588	Liberia	BBC VENUS	2023	9965590	Liberia

MAIN DATA

TYPE	
Vessel type	Bulkcarrier
Classification	Class NK
TONNAGE	
Deadweight (summer)	39,869 mt
GT / NT	24,748 / 12,430
DIMENSIONS	
Max. draft (summer)	10.23 m
Length o.a.	179.99 m
Length between pp.	174.00 m
Breadth moulded	32.00 m
Depth to main deck	14.80 m
Height above keel	42.62 m
SPEED	
Max. speed	13.50 knots
Reduced speed 	11.70 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	Masada / Mitsubishi	(midship)
Lifting capacity	4 x 30 mt	
HOLDS / HATCHES		
Hatch and Hold	5 Holds / 5 Hatches	
Hold 1	6,801 cbm (240,204 cbft)	
Hold 2	10,898 cbm (384,860 cbft)	
Hold 3	10,950 cbm (386,721 cbft)	
Hold 4	10,951 cbm (386,742 cbft)	
Hold 5	10,278 cbm (362,986 cbft)	
Total	49,878 cbm (1,761,513 cbft)	

SPECIAL EQUIPMENT / FEATURES




Grain fitted




Australia fitted




Folding type hatch cover (hydraulic)




SIDE VIEW



MAIN DECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

Bulk Vessel



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC URANUS	2022	9947768	Liberia	BBC SATURN	2022	9932127	Liberia
BBC MARS	2022	9947770	Liberia				

MAIN DATA

TYPE	
Vessel type	Bulkcarrier
Classification	Bureau Veritas
TONNAGE	
Deadweight (summer)	40,273 mt
GT / NT	25,163 / 13,493
DIMENSIONS	
Max. draft (summer)	10.80 m
Length o.a.	179.90 m
Length between pp.	176.85 m
Breadth moulded	30.00 m
Depth to main deck	15.10 m
Height above keel	41.80 m
SPEED	
Max. speed	13.50 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	Masada / Mitsubishi	(midship)
Lifting capacity	4 x 30,5 mt	
HOLDS / HATCHES		
Hatch and Hold	5 Holds / 5 Hatches	
Hold 1	8,572 cbm (302,745 cbft)	
Hold 2	10,623 cbm (375,179 cbft)	
Hold 3	10,623 cbm (375,179 cbft)	
Hold 4	10,623 cbm (375,179 cbft)	
Hold 5	9,872 cbm (348,644 cbft)	
Total	50,317 cbm (1,776,928 cbft)	

SPECIAL EQUIPMENT / FEATURES




Grain fitted




Australia fitted





Folding type hatch cover (hydraulic)




SIDE VIEW



MAIN DECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

Bulk Vessel



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC APOLLO	2023	9972488	Liberia	BBC CERES	2024	9972490	Liberia

MAIN DATA


TYPE	
Vessel type	Bulkcarrier
Classification	Bureau Veritas
TONNAGE	
Deadweight (summer)	40,550 mt
GT / NT	25,171 / 13,740
DIMENSIONS	
Max. draft (summer)	10.95 m
Length o.a.	179.90 m
Length between pp.	176.85 m
Breadth moulded	30.00 m
Depth to main deck	15.20 m
Height above keel	41.78 m
SPEED	
Max. speed	13.50 knots
Reduced speed 	12.00 knots

HOLDS / HATCHES / CRANES


CARGO GEAR		
Crane manufacturer	Masada / Mitsubishi	(midship)
Lifting capacity	4 x 30,5 mt	
HOLDS / HATCHES		
Hatch and Hold	5 Holds / 5 Hatches	
Hold 1	8,488 cbm (299,750 cbft)	
Hold 2	10,692 cbm (377,598 cbft)	
Hold 3	10,692 cbm (377,598 cbft)	
Hold 4	10,692 cbm (377,598 cbft)	
Hold 5	9,950 cbm (351,398 cbft)	
Total	50,514 cbm (1,783,942 cbft)	

SPECIAL EQUIPMENT / FEATURES



 Grain fitted	 Australia fitted	 Folding type hatch cover (hydraulic)
--	---	---




SIDE VIEW



MAIN DECK



HOLDS & DOUBLE BOTTOM



Speed figures are calculated basis maximum Beaufort 2, no swell and no adverse currents. Intake is always subject to vessel's stability, trim, permissible weights and is subject to regulations of visibility. Lifting capacity of vessel's cranes is subject to vessel's stability and can depend on cargo/ballast on board. Container data as well as cargo hold capacity assumes tweendeck ashore. All details including speed are given in good faith and can vary on the individual vessels. They are to be considered „about“, are given without guarantee and must not be used as basis for charterparties or contracts without BBC Chartering's explicit written authority.

Bulk Vessel



VESSEL NAME	BUILT	IMO NO.	FLAG
EMMA JANNEKE	2024	9992256	Liberia

MAIN DATA

TYPE	
Vessel type	Bulkcarrier
Classification	Class NK
TONNAGE	
Deadweight (summer)	39,974 mt
GT / NT	25,010 / 12,488
DIMENSIONS	
Max. draft (summer)	10.34 m
Length o.a.	182.87 m
Length between pp.	179.95 m
Breadth moulded	31.00 m
Depth to main deck	14.70 m
Height above keel	43.38 m
SPEED	
Max. speed	13.50 knots
Reduced speed 	11.40 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	Manabe Zoki	(midship)
Lifting capacity	4 x 30,7 mt	
HOLDS / HATCHES		
Hatch and Hold	5 Holds / 5 Hatches	
Hold 1	8,000 cbm (282,539 cbft)	
Hold 2	10,356 cbm (365,725 cbft)	
Hold 3	10,386 cbm (366,814 cbft)	
Hold 4	10,386 cbm (366,814 cbft)	
Hold 5	9,227 cbm (325,867 cbft)	
Total	48,355 cbm (1,707,640 cbft)	

SPECIAL EQUIPMENT / FEATURES




Grain fitted




Australia fitted




Folding type hatch cover (hydraulic)




SIDE VIEW



MAIN DECK



HOLDS & DOUBLE BOTTOM



Bulk Vessel



VESSEL NAME	BUILT	IMO NO.	FLAG	VESSEL NAME	BUILT	IMO NO.	FLAG
BBC PLUTO ⁽¹⁾	2010	9537276	Liberia	BBC JUPITER ⁽²⁾	2014	9577630	Antigua & Barbuda

MAIN DATA

TYPE		
Vessel type		Bulkcarrier
Classification	⁽¹⁾ Bureau Veritas	⁽²⁾ Lloyd's Register
TONNAGE		
Deadweight (summer)		⁽¹⁾ 37,300 mt
		⁽²⁾ 37,135 mt
GT / NT		24,050 / 12,572
DIMENSIONS		
Max. draft (summer)		10.40 m
Length o.a.		189.99 m
Length between pp.		183.68 m
Breadth moulded		28.50 m
Depth to main deck		15.10 m
Height above keel		45.00 m
SPEED		
Max. speed		12.50 knots

HOLDS / HATCHES / CRANES

CARGO GEAR		
Crane manufacturer	⁽¹⁾ NMF	(midship)
	⁽²⁾ WMMP	(midship)
Lifting capacity	4 x 30 mt	
HOLDS / HATCHES		
Hatch and Hold	5 Holds / 5 Hatches	
Hold 1	7,587 cbm (267,958 cbft)	
Hold 2	10,760 cbm (380,013 cbft)	
Hold 3	10,760 cbm (380,013 cbft)	
Hold 4	10,760 cbm (380,013 cbft)	
Hold 5	9,064 cbm (320,093 cbft)	
Total	48,934 cbm (1,728,092 cbft)	

SPECIAL EQUIPMENT / FEATURES




Grain fitted




Australia fitted




Folding type hatch cover (hydraulic)




SIDE VIEW



MAIN DECK




HOLDS & DOUBLE BOTTOM



VESSEL INDEX

A		BBC EMERALD	18	BBC MERCURY	68	BBC ROSTOV	26
ACADIA DESGAGNES	44	BBC EMSLAND	40	BBC MICHIGAN	32	BBC RUBY	18
ARALIA	32	BBC EVEREST	48	BBC MINNESOTA	34	BBC RUSHMORE	48
BBC AFRICA	58	BBC ELISABETH	8	BBC MONT BLANC	48	BBC RUSSIA	24
BBC ALASKA	32	EMMA JANNEKE	74	BBC MOONSTONE	18	S	
BBC ALBERTA	30	ERIK	32	MARCELLIN A. DESGAGNES	14	BBC SANTIAGO	20
BBC AMBER	18	F		MIENA DESGAGNES	24	BBC SAO PAULO	20
BBC AMETHYST	18	BBC FINLAND	8	N		BBC SAPPHIRE	18
BBC APOLLO	72	BBC FUJI	48	BBC NAGASAKI	52	BBC SATURN	70
BBC AQUAMARINE	18	FRIEDA	32	BBC NAPLES	50	BBC SCANDINAVIA	58
BBC ARKHANGELSK	24	G		BBC NILE	14	BBC SEBASTOPOL	26
BBC ASIA	58	BBC GANGES	14	BBC NORFOLK	52	BBC SEINE	14
BBC AUSTRALIA	64	BBC GDANSK	60	BBC NORWAY	8	BBC SHANGHAI	20
BBC AUSTRIA	58	BBC GENOA	20	BBC NYHAVN	52	BBC SINGAPORE	20
B		BBC GEORGIA	32	NORDIKA DESGAGNES	14	BBC SINGAPORE	42
BBC BAHRAIN	56	BBC GREENLAND	58	O		BBC ST. PETERSBURG	24
BBC BALBOA	56	H		BBC OCEAN	64	BBC SWITZERLAND	58
BBC BANGKOK	56	BBC HUDSON	16	BBC ODESSA	26	SEDNA DESGAGNES	30
BBC BELEM	56	BBC HONG KONG	42	BBC OLYMPUS	48	SJARD	16
BBC BERGEN	56	BBC HOUSTON	20	BBC ONYX	18	T	
BBC BREMEN	20	I		BBC OPAL	18	BBC TEXAS	32
BBC BRISBANE	56	BBC ICELAND	10	BBC OREGON	30	BBC TOKYO	20
BASILISK	12	J		BBC ORION	54	BBC TOPAZ	18
C		BBC JADE	36	P		TAIGA DESGAGNES	16
BBC CAMPANA	34	JANNES	34	BBC PACIFIC	64	U	
BBC CERES	72	BBC JUPITER	76	BBC PEARL	18	BBC UKRAINE	26
BBC CHALLENGER	40	K		BBC PERU	22	BBC URANUS	70
BBC CITRINE	18	BBC KHERSON	26	BBC PHILIPPINES	26	BBC UTAH	30
BBC CORAL	18	BBC KIBO	48	BBC PLATA	34	V	
CERULEAN	6	BBC KIMBERLEY	46	BBC PLUTO	76	BBC VERMONT	32
CLAUDE A. DESGAGNES	32	KURT PAUL	16	PACIFICA	32	BBC VESUVIUS	48
D		BBC KWIATKOWSKI	60	PELAGICA	32	BBC VENUS	68
BBC DANUBE	14	L		PIA	32	BBC VIRGINIA	30
BBC DAKOTA	32	BBC LEER	20	POTENTIA	32	BBC VOLGA	16
BBC DART	54	BBC LIMA	62	R		W	
BBC DESTINY	54	BBC LISBON	62	BBC RAINBOW	10	BBC WASHINGTON	34
BBC DENMARK	8	BBC LONDON	62	BBC RAISE	12	BBC WESER	16
BBC DIAMOND	54	BBC LOUISE	38	BBC REEF	12	BBC WISCONSIN	34
BBC DIRECTION	54	M		BBC REGALIA	12	X	
BBC DOLPHIN	54	BBC MAINE	32	BBC RHEIDERLAND	10	BBC XINGANG	48
BBC DUBAI	20	BBC MANILA	26	BBC RHONETAL	10	Y	
E		BBC MARMARA	64	BBC RIO	10	Z	
BBC EAGLE	46	BBC MARS	70	ROSAIRE A. DESGAGNES	34	BBC ZARATE	34
BBC ECHO	46	BBC MARYLAND	32	BBC ROSARIO	34	ZELADA DESGAGNES	30
BBC EDGE	46						



Experience our wide range of shipping solutions, updated positions and sailing schedules at www.bbc-chartering.com

